



NTN Bearing Brazil Bearings Ltda.



LSM60BXHFATL Bearing 2D drawings and 3D CAD models

TIMKEN LSM60BXHFATL Flange Block Bearings

Bearing No. LSM60BXHFATL

Category	Flange Block Bearings
Inventory	0.0
Manufacturer Name	TIMKEN
Minimum Buy Quantity	N/A
Weight	14.75
EAN	0013992046611
Product Group	B04144
Number of Mounting Holes	4
Mounting Method	Clamp Collar
Housing Style	4 Bolt Round Flange Block
Rolling Element	Cylindrical Roller Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Expansion
Mounting Bolts	12 Millimeter
Relubricatable	Yes
Insert Part Number	LSM60BX
Seals	Triple Lip Labyrinth
Housing Configuration	2 Piece Split
Pilot Configuration	No Pilot
Inch - Metric	Metric
Long Description	4 Bolt Round Flange Block; 60MM Bore; 218MM Bolt Circle; 2 Piece Split; Clamp Collar Mount; Cast Iron; Cylindrical Roller Bearing; 60MM Length Thru Bore; 154.1MM Bolt Spacing; Relubricatable; Triple L



NTN Bearing Brazil Bearings Ltda.

Other Features	Single Row Wide Inner Ring Light Duty
Category	Flange Block Bearings
UNSPSC	31171501
Harmonized Tariff Code	8483.20.40.80
Noun	Bearing
Keyword String	Flanged
Manufacturer URL	http://www.timken.com
Weight / LBS	32.49
Cartridge Pilot Depth	0 Inch 0 Millimeter
D	2.362 Inch 60 Millimeter
d	2.362 Inch 60 Millimeter
Cartridge Pilot Diameter	0 Inch 0 Millimeter
Bolt Spacing	6.1 Inch 154.9 Millimeter
Nominal Bolt Circle Diameter Round	8.6 Inch 218 Millimeter
Shaft Size	60 mm
Seal Type	Aluminium Triple Labyrinth
Bearing Type	Split Cylindrical Expansion Type
Support Type	Round Flange
Series Type	Light Series
Bolt Size	4 x M12
Bearing - Housing - Seal	LSM60BXHATL
Bearing - Housing - Seal UPC	013992041715
Bearing UPC	013992030115
Dimension T	10.2 in
Dimension R	8.6 in
Dimension P	0.6 in
Dimension H	2.6 in
Dimension N	6.571 in
Dimension V	0.1 in



NTN Bearing Brazil Bearings Ltda.

Dimension L	4.6 in
Cr - Dynamic Load Rating	23155 lbf
Cor - Static Load Rating	25853 lbf
Maximum Speed	3940 rpm
Note	This product line was formerly known as " Revolve "